

**24-HOUR EMERGENCY PHONE NUMBER**

Contact CHEM-TEL at 1-800-255-3924
Sysmex's CHEM-TEL # MIS0004042

Material Safety Data Sheet

QUICKLYSER (QLY-200A)

Health	Flammability	Reactivity	Contact
2	0	0	1

1 = Slight, 2 = Moderate, 3 = Severe, 4 = Extreme

1. PRODUCT IDENTIFICATION

QUICKLYSER™ is a lytic reagent intended for *In Vitro* WBC and HGB analysis using designated Sysmex semi-automated hematology instruments. It is provided in 6 mL brown plastic ampoules.

2. HAZARDOUS INGREDIENTS

	<u>Percent</u>	<u>CAS Number</u>
Potassium Cyanide	0.58%	151-50-8
Organic Quaternary Ammonium Salt*	6.8% *	

*This surfactant is of the formula R_xNX, the specific chemical name is considered proprietary information.

o **DOT Status:** Both are non-hazardous.

o **Toxicity Database Summary:** Oral rat LD50 1.7 g/kg.
This toxicity is based on the product, not a pure or concentrated compound.
Toxicity value is extrapolated from toxicology databases, not animal studies.

o **Permissible Exposure Level (OSHA):** Cyanide 5 mg/m³ TWA skin.

o **Carcinogen Database Summary:** No data listed.

3. PHYSICAL DATA

Clear aqueous solution, easily foamed, slight musty odor. Exact physical properties of this aqueous solution have not been determined, but are expected to approximate water, which is its major component.

4. FIRE AND EXPLOSION DATA

Not combustible. In fire conditions poisonous hydrogen cyanide gas and toxic NO_x fumes may be generated.

5. REACTIVITY DATA

Stable solution. Acidification of solution may generate poisonous hydrogen cyanide gas.

One Nelson C. White Parkway, Mundelein, IL 60060 Phone 847-996-4500 · 1-800-3SYSMEX (1-800-379-7639) www.sysmex.com

Quicklyser QLY-200A

Document No.: F-2806T Rev. 02

Page 1 of 3

Effective Date: 11/21/11

6. TOXICOLOGICAL PROPERTIES & HEALTH HAZARD DATA

Moderate "Health" rating is for acute exposure by ingestion, which can be fatal - symptoms include initial flushing, increased heart beat, rapid respiration, headache, dizziness – this proceeds to agitation, combative behavior, stupor, coma, seizures, slow heartbeat, low blood pressure, pulmonary edema, and death.

Though no significant vapor occurs under normal conditions, acidification or generation of a mist may be toxic as per ingestion and an irritant to the respiratory tract. Solution may be mild irritant to skin, cyanide may be absorbed through the skin, prolonged or repeated skin exposure may cause rash.

This material is relatively safe when used by laboratory professionals in the instrument system as intended. Small volume per ampoule limits possible exposure. Wear gloves and lab coat in routine use to avoid exposure. Practice good chemical hygiene – avoid touching eyes when handling this reagent, and wash hands after use. To remove top of ampoule, use a sharp scissors, other methods may create a splash – in unusual conditions where a splash is reasonably anticipated, also wear plastic apron and eye protection.

7. FIRST AID MEASURES

- **Ingestion:** Do not induce emesis. Patient needs immediate professional medical attention (100% Oxygen, antidote administration, gastric lavage, activated charcoal/cathartic). If not breathing, give artificial respiration but avoid self-poisoning. Keep person warm and at rest until medical help arrives. Lilly Cyanide Antidote kits containing multiple antidote materials are available for oral exposures.
- **Inhalation of mist / vapor from acidified solution:** Move patient to fresh air. Get medical attention. If not breathing give artificial respiration, but avoid self-poisoning. Keep person warm and at rest until medical help arrives.
- **Skin Contact:** Remove contaminated clothing. Wash affected area with soap and water. Avoid prolonged exposure; cyanide can be absorbed through the skin.
- **Eye Contact:** Wash eyes with water, lifting lower and upper eyelids. Continue rinsing until all trace of irritation is gone. Where irritation persists get medical evaluation.

8. PREVENTIVE MEASURES AND DISPOSAL PROCEDURES

Wear gloves and lab coat. A few drops are the typical spill size, which may be absorbed with a paper wipe moistened with household bleach to decompose the cyanide. For large spills contain and absorb the spill with neutral absorbent material, place in a closed container for neutralization and/or disposal. Dispose of waste in accordance with applicable local, state and federal environmental regulations.

9. STORAGE AND SPECIAL INFORMATION

Store at 2-8°C away from direct sunlight to ensure reagent performance.

10. REGULATORY INFORMATION

International Inventory Status:

Ingredient	CAS #	EC	Japan	Australia	Korea	Canada: DSL	Canada: NDSL
Water	7732-18-5	YES	YES	YES	YES	YES	NO
Potassium Cyanide	151-50-8	YES	YES	YES	YES	YES	NO

One Nelson C. White Parkway, Mundelein, IL 60060 Phone 847-996-4500 · 1-800-3SYSMEX (1-800-379-7639) www.sysmex.com



United States:

Ingredient	CAS #	OSHA	CAA	CWA	RCRA	SARA 302	SARA 313	TSCA
Water	7732-18-5	YES	NO	NO	NO	NO	NO	NO
Potassium Cyanide	151-50-8	YES	NO	YES	NO	YES	YES	YES

WHMIS (Canada): This MSDS has been prepared according to the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by CPR.

Sysmex America, Inc. provides the information contained herein in good faith, but makes no representative claim or warranty as to its completeness or accuracy. This document is intended only as a guide for appropriate handling of the material described by properly trained persons using the product according to its intended purposes. Individuals receiving this information retain the responsibility for determining the suitability of the information for any specific purpose. Users should consider these data only as supplement to other information gathered by themselves and must make independent determinations of the suitability and completeness of information from all sources to ensure proper use and disposal of these materials and for the safety and health of employees and customers. No warranty, expressed or implied, is made with regard to such information.

Permission is granted to make unlimited paper copies of this MSDS for internal purposes