

Trade name: Sticky Control Reagent - Staining Solution

Product no.: 05-6100-01

Current version : 2.0.1, issued: 10.12.2015

Replaced version: 2.0.0, issued: 04.08.2015

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Sticky Control Reagent - Staining Solution

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

laboratory chemicals

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

Sysmex Partec GmbH
Am Flugplatz 13
02828 Görlitz

Telephone no. +49 3581 8746-0
Fax no. +49 3581 8746-70
e-mail info@sysmex-partec.com

Information provided by / telephone

Regulatory Affairs, Tel. +49 3581 8746-0

Advice on Safety Data Sheet

sdb_info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English):
+49 (0)551 192 40 (Giftinformationszentrum Nord)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Acute Tox. 3; H301
Acute Tox. 3; H311
Acute Tox. 3; H331
Flam. Liq. 2; H225
STOT SE 1; H370

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



GHS02



GHS06



GHS08

Signal word

Danger

Hazardous component(s) to be indicated on label:

methanol

Hazard statements

H225 Highly flammable liquid and vapour.
H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled
H370 Causes damage to organs.

Trade name: Sticky Control Reagent - Staining Solution

Product no.: 05-6100-01

Current version : 2.0.1, issued: 10.12.2015

Replaced version: 2.0.0, issued: 04.08.2015

Region: GB

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P260 Do not breathe mist/vapours/spray.
 P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
 P308+P311 IF exposed or concerned: Call a POISON CENTER/doctor.
 P403+P233 Store in a well-ventilated place. Keep container tightly closed.
 P501 Dispose of contents/container in accordance with local and national regulations.

2.3 Other hazards

PBT assessment
 No data available.
 vPvB assessment
 No data available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

No	Substance name		Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration	%
1	methanol			
	67-56-1 200-659-6 603-001-00-X 01-2119433307-44	Acute Tox. 3; H301 Acute Tox. 3; H311 Acute Tox. 3; H331 Flam. Liq. 2; H225 STOT SE 1; H370	< 100.00	%-b.w.

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	-	STOT SE 2; H371: C >= 3% STOT SE 1; H370: C >= 10%	-	-

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. If the patient is likely to become unconscious, place and transport in stable sideways position.

After inhalation

Remove affected person from the immediate area. Ensure supply of fresh air.

After skin contact

Wash off immediately with soap and water.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes).

After ingestion

Call a doctor immediately. Do not induce vomiting. Never give anything by mouth to an unconscious person.

Trade name: Sticky Control Reagent - Staining Solution

Product no.: 05-6100-01

Current version : 2.0.1, issued: 10.12.2015

Replaced version: 2.0.0, issued: 04.08.2015

Region: GB

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Foam; Extinguishing powder; Carbon dioxide; Water spray jet

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon dioxide (CO₂); Carbon monoxide (CO)

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g., sand, kieselguhr, universal binder). When picked up, treat material as prescribed under heading "Disposal considerations".

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Product inherent handling risks must be minimised taking the appropriate measures for protection and preventive actions. The working process should be designed to rule out the release of hazardous substances or skin contact as far as possible by the state of the art.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from food, drink and animal feeding stuffs. Wash hands and skin before breaks and after work. Do not inhale vapours. Avoid contact with eyes and skin. Remove soiled or soaked clothing immediately.

Advice on protection against fire and explosion

Keep away from sources of heat and ignition. Vapours can form an explosive mixture with air.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage.

Advice on storage assembly

Do not store together with: Oxidizing agents; Acids; Bases

Trade name: Sticky Control Reagent - Staining Solution

Product no.: 05-6100-01

Current version : 2.0.1, issued: 10.12.2015

Replaced version: 2.0.0, issued: 04.08.2015

Region: GB

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.	EC no.
1	methanol	67-56-1	200-659-6
List of approved workplace exposure limits (WELs) / EH40			
Methanol			
	STEL	333	mg/m ³ 250 ml/m ³
	TWA	266	mg/m ³ 200 ml/m ³
	Skin resorption / sensibilisation	Sk	
2006/15/EC			
Methanol			
	TWA	260	mg/m ³ 200 ml/m ³
	Skin resorption / sensibilisation	Skin	

DNEL and PNEC values

DNEL values (worker)

No	Substance name	CAS / EC no		
	Route of exposure	Exposure time	Effect	Value
1	methanol	67-56-1 200-659-6		
	dermal	Short term (acut)	systemic	40 mg/kg/day
	dermal	Long term (chronic)	systemic	40 mg/kg/day
	inhalative	Short term (acut)	systemic	260 mg/m ³
	inhalative	Short term (acut)	local	260 mg/m ³
	inhalative	Long term (chronic)	systemic	260 mg/m ³
	inhalative	Long term (chronic)	local	260 mg/m ³

DNEL value (consumer)

No	Substance name	CAS / EC no		
	Route of exposure	Exposure time	Effect	Value
1	methanol	67-56-1 200-659-6		
	dermal	Short term (acut)	systemic	8 mg/kg/day
	dermal	Long term (chronic)	systemic	8 mg/kg/day
	inhalative	Short term (acut)	systemic	50 mg/m ³
	inhalative	Short term (acut)	local	50 mg/m ³
	inhalative	Long term (chronic)	systemic	50 mg/m ³
	inhalative	Long term (chronic)	local	50 mg/m ³

PNEC values

No	Substance name	CAS / EC no	
	ecological compartment	Type	Value
1	methanol	67-56-1 200-659-6	
	water	fresh water	20.80 mg/l
	water	marine water	2.08 mg/l
	water	Aqua intermittent	1540.00 mg/l
	water	fresh water sediment	77.00 mg/kg
	with reference to: dry weight		
	water	marine water sediment	7.70 mg/kg
	with reference to: dry weight		
	soil	-	3.18 mg/kg
	with reference to: dry weight		
	sewage treatment plant	-	100.00 mg/l

Trade name: Sticky Control Reagent - Staining Solution

Product no.: 05-6100-01

Current version : 2.0.1, issued: 10.12.2015

Replaced version: 2.0.0, issued: 04.08.2015

Region: GB

8.2 Exposure controls

Appropriate engineering controls

No data available.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Eye / face protection

Safety glasses (EN 166)

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Other

Normal chemical work clothing.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form/Colour	
liquid	
red	
Odour	
No data available	
Odour threshold	
No data available	
pH value	
No data available	
Boiling point / boiling range	
Value	65 °C
Melting point / melting range	
No data available	
Decomposition point / decomposition range	
No data available	
Flash point	
Value	10 °C
Reference substance	methanol

Trade name: Sticky Control Reagent - Staining Solution

Product no.: 05-6100-01

Current version : 2.0.1, issued: 10.12.2015

Replaced version: 2.0.0, issued: 04.08.2015

Region: GB

Auto-ignition temperature
No data available

Oxidising properties
No data available

Explosive properties
No data available

Flammability (solid, gas)
No data available

Lower flammability or explosive limits
No data available

Upper flammability or explosive limits
No data available

Vapour pressure
No data available

Vapour density
No data available

Evaporation rate
No data available

Relative density
No data available

Density		
Value	0.79	g/cm ³
Reference temperature	20	°C

Solubility in water
No data available

Solubility(ies)
No data available

Partition coefficient: n-octanol/water			
No	Substance name	CAS no.	EC no.
1	methanol	67-56-1	200-659-6
log Pow			-0.77
Source	ECHA		

Viscosity
No data available

9.2 Other information

Other information
No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

Dangerous reactions are not expected if the product is handled according to its intended use.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

None, if handled according to order.

10.4 Conditions to avoid

None, if handled according to intended use.

Trade name: Sticky Control Reagent - Staining Solution

Product no.: 05-6100-01

Current version : 2.0.1, issued: 10.12.2015

Replaced version: 2.0.0, issued: 04.08.2015

Region: GB

10.5 Incompatible materials

Oxidizing agents; strong acids; strong bases

10.6 Hazardous decomposition products

None, if handled according to intended use.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity (result of the ATE calculation for the mixture)	
No	Product Name
1	Sticky Control Reagent - Staining Solution
ATE (Mixture)	100.10
Method	Calculation method according Regulation (EC) No 1272/2008, (CLP), annex I, part 3, section 3.1.3.6.

Acute oral toxicity	
No data available	

Acute dermal toxicity			
No	Substance name	CAS no.	EC no.
1	methanol	67-56-1	200-659-6
LD50		17100	mg/kg bodyweight
Species	rabbit		
Source	ECHA		

Acute inhalational toxicity (result of the ATE calculation for the mixture)	
No	Product Name
1	Sticky Control Reagent - Staining Solution
ATE (Mixture)	3.0030
Route of exposure / physical from Method	Vapour Calculation method according Regulation (EC) No 1272/2008, (CLP), annex I, part 3, section 3.1.3.6.

Trade name: Sticky Control Reagent - Staining Solution

Product no.: 05-6100-01

Current version : 2.0.1, issued: 10.12.2015

Replaced version: 2.0.0, issued: 04.08.2015

Region: GB

Acute inhalational toxicity
No data available
Skin corrosion/irritation
No data available
Serious eye damage/irritation
No data available
Respiratory or skin sensitisation
No data available
Germ cell mutagenicity
No data available
Reproduction toxicity
No data available
Carcinogenicity
No data available
STOT-single exposure
No data available
STOT-repeated exposure
No data available
Aspiration hazard
No data available
Delayed and immediate effects as well as chronic effects from short and long-term exposure
Inhalation of the vapours causes irritation of the respiratory tract and mucous membrane, headaches, nausea, giddiners, vomiting. Eye contact with the product may lead to irritation. Frequent persistent contact with the skin can cause skin irritation.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)			
No	Substance name	CAS no.	EC no.
1	methanol	67-56-1	200-659-6
LC50		15400	mg/l
Duration of exposure		96	h
Species	Lepomis macrochirus		
Method	EPA-660 / 3-75-009		
Source	ECHA		
Toxicity to fish (chronic)			
No data available			
Toxicity to Daphnia (acute)			
No	Substance name	CAS no.	EC no.
1	methanol	67-56-1	200-659-6
EC50		22200	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		

Trade name: Sticky Control Reagent - Staining Solution

Product no.: 05-6100-01

Current version : 2.0.1, issued: 10.12.2015

Replaced version: 2.0.0, issued: 04.08.2015

Region: GB

Toxicity to Daphnia (chronic)	
No data available	

Toxicity to algae (acute)			
No	Substance name	CAS no.	EC no.
1	methanol	67-56-1	200-659-6
EC50	appr.	22000	mg/l
Duration of exposure		96	h
Species	Pseudokirchneriella subcapitata		
Method	OECD 201		
Source	ECHA		

Toxicity to algae (chronic)	
No data available	

Bacteria toxicity	
No data available	

12.2 Persistence and degradability

Biodegradability			
No	Substance name	CAS no.	EC no.
1	methanol	67-56-1	200-659-6
Type	BOD		
Value		95	%
Duration		20	day(s)
Source	ECHA		
Evaluation	readily biodegradable		

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water			
No	Substance name	CAS no.	EC no.
1	methanol	67-56-1	200-659-6
log Pow		-0.77	
Source	ECHA		

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
PBT assessment	No data available.
vPvB assessment	No data available.

12.6 Other adverse effects

No data available.

12.7 Other information

Other information	
Do not discharge product unmonitored into the environment.	

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

Trade name: Sticky Control Reagent - Staining Solution

Product no.: 05-6100-01

Current version : 2.0.1, issued: 10.12.2015

Replaced version: 2.0.0, issued: 04.08.2015

Region: GB

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

Class	3
Classification code	FT1
Packing group	II
Hazard identification no.	336
UN number	UN1230
Technical name	METHANOL solution
Tunnel restriction code	D/E
Label	3+6.1

14.2 Transport IMDG

Class	3
Subsidiary Risk	6.1
Packing group	II
UN number	UN1230
Proper shipping name	METHANOL Solution
EmS	F-E+S-D
Label	3+6.1

14.3 Transport ICAO-TI / IATA

Class	3
Subrisk	6.1
Packing group	II
UN number	UN1230
Proper shipping name	Methanol Solution
Label	3+6.1

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annexe XVII.	No 3, 40
---	----------

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is subject to Part I of Annex I, risk category:	H2, P5b
--	---------

Trade name: Sticky Control Reagent - Staining Solution

Product no.: 05-6100-01

Current version : 2.0.1, issued: 10.12.2015

Replaced version: 2.0.0, issued: 04.08.2015

Region: GB

If the properties of the substance/product give rise to more than one classification, for the purposes of 2012/18/UE, the lowest qualifying quantities set out in Part 1 and Part 2 of Annex I shall apply.

15.2 Chemical safety assessment

No data available.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

EC Directives 2000/39/EC, 2006/15/EC, 2009/161/EU

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding chapter.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H331	Toxic if inhaled.

Department issuing safety data sheet

UMCO Umwelt Consult GmbH

Georg-Wilhelm-Str. 183 , D-21107 Hamburg

Tel.: +49 40 / 79 02 36 300 Fax: +49 40 / 79 02 36 357 e-mail: umco@umco.de

This information is based on our present state of knowledge and experience.

The security data sheet describes products with a view to the security requirements.

However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO Umwelt Consult GmbH.