

## Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations


Printing date: February 05, 2019

Revision: February 05, 2019

### 1 Identification

- **Product identifier**
- **Trade name:** **UX CLEAN-C**
- **Other means of identification:** No other identifiers
- **Recommended use and restriction on use**
- **Recommended use:** Diagnostic testing
- **Restrictions on use:** No relevant information available.
- **Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**  
SYSMEX AMERICA, Inc  
577 Aptakisic Road  
Lincolnshire, IL 60069 USA  
Phone: 847-996-4500  
1-800-3SYSMEX (1-800-379-7639)
- **Emergency telephone number:**  
ChemTel Inc.  
(800)255-3924 (North America)  
+1 (813)248-0585 (International)

### 2 Hazard(s) identification

- **Classification of the substance or mixture**  
Acute Tox. 4 H302 Harmful if swallowed.  
Acute Tox. 4 H312 Harmful in contact with skin.  
Eye Irrit. 2A H319 Causes serious eye irritation.  
STOT RE 2 H373 May cause damage to the brain through prolonged or repeated exposure.
- **Label elements**
- **GHS label elements**  
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms:**  
  
GHS07 GHS08
- **Signal word:** Warning
- **Hazard statements:**  
H302+H312 Harmful if swallowed or in contact with skin.  
H319 Causes serious eye irritation.  
H373 May cause damage to the brain through prolonged or repeated exposure.
- **Precautionary statements:**  
P260 Do not breathe mist/vapors/spray.  
P264 Wash thoroughly after handling.

(Cont'd. on page 2)

## Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: February 05, 2019

Revision: February 05, 2019

**Trade name: UX CLEAN-C**

(Cont'd. of page 1)





- P270 Do not eat, drink or smoke when using this product.
- P280 Wear protective gloves/protective clothing/eye protection.
- P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.
- P330 Rinse mouth.
- P302+P352 If on skin: Wash with plenty of soap and water.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P314 Get medical advice/attention if you feel unwell.
- P337+P313 If eye irritation persists: Get medical advice/attention.
- P362+P364 Take off contaminated clothing and wash it before reuse.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

• **Other hazards** There are no other hazards not otherwise classified that have been identified.

### 3 Composition/information on ingredients

• **Chemical characterization: Mixtures**

• **Components:**

9002-93-1	Poly(oxy-1,2-ethanediyl), $\alpha$ -[4-(1,1,3,3-tetramethylbutyl)phenyl]- $\omega$ -hydroxy-	$\leq 2.5$ %
	<ul style="list-style-type: none"> <li> Eye Dam. 1, H318</li> <li> Acute Tox. 4, H302; Skin Irrit. 2, H315</li> </ul>	
26628-22-8	sodium azide	$\leq 2.5$ %
	<ul style="list-style-type: none"> <li> Acute Tox. 2, H300; Acute Tox. 2, H310</li> <li> STOT RE 2, H373</li> </ul>	

• **Additional information:**

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.  
For the wording of the listed Hazard Statements, refer to section 16.

### 4 First-aid measures

• **Description of first aid measures**

• **After inhalation:** Supply fresh air; consult doctor in case of complaints.

• **After skin contact:**

Immediately remove any clothing soiled by the product.

Wash with soap and water.

If skin irritation is experienced, consult a doctor.

• **After eye contact:**

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• **After swallowing:**

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

• **Most important symptoms and effects, both acute and delayed:**

(Cont'd. on page 3)

## Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: February 05, 2019

Revision: February 05, 2019

**Trade name: UX CLEAN-C**

(Cont'd. of page 2)

Slight irritant effect on skin and mucous membranes.

Causes serious eye irritation.

Gastric or intestinal disorders when ingested.

Nausea in case of ingestion.

**· Danger:**

Harmful if swallowed or in contact with skin.

May cause damage to the brain through prolonged or repeated exposure.

**· Indication of any immediate medical attention and special treatment needed:** Treat symptomatically.

### 5 Fire-fighting measures

**· Extinguishing media****· Suitable extinguishing agents:**CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray.**· For safety reasons unsuitable extinguishing agents:** None.**· Special hazards arising from the substance or mixture**

Formation of toxic gases is possible during heating or in case of fire.

**· Advice for firefighters****· Protective equipment:**

Wear self-contained respiratory protective device.

Wear fully protective suit.

### 6 Accidental release measures

**· Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

Use respiratory protective device against the effects of fumes/dust/aerosol.

**· Environmental precautions**

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

**· Methods and material for containment and cleaning up**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the collected material according to regulations.

**· Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

**· Handling****· Precautions for safe handling:**

(Cont'd. on page 4)

## Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: February 05, 2019

Revision: February 05, 2019

**Trade name: UX CLEAN-C**

(Cont'd. of page 3)

Open and handle receptacle with care.  
 Use only in well ventilated areas.  
 Avoid contact with the eyes and skin.  
 Avoid breathing mist, vapors, or spray.

- **Conditions for safe storage, including any incompatibilities**
- **Requirements to be met by storerooms and receptacles:**  
 Avoid storage near extreme heat, ignition sources or open flame.  
 Store in cool, dry conditions in well sealed receptacles.
- **Information about storage in one common storage facility:**  
 Store away from foodstuffs.  
 Store away from oxidizing agents.  
 Do not store together with acids.
- **Specific end use(s)** No relevant information available.

### 8 Exposure controls/personal protection

- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

**26628-22-8 sodium azide**

REL (USA)	Ceiling limit value: 0.3** mg/m <sup>3</sup> , 0.1* ppm *as HN <sub>3</sub> ; **as NaN <sub>3</sub> ; Skin
TLV (USA)	Ceiling limit value: 0.29** mg/m <sup>3</sup> , 0.11* ppm *as HN <sub>3</sub> vapor **as NaN <sub>3</sub>
EL (Canada)	Ceiling limit value: 0.29* mg/m <sup>3</sup> , 0.11** ppm *sodium azide; **hydrazoic acid vapour
EV (Canada)	Ceiling limit value: 0.26 mg/m <sup>3</sup> , 0.1 ppm
LMPE (Mexico)	Ceiling limit value: 0.29 0.11* mg/m <sup>3</sup> A4, *as hydrazoic acid vapour

- **Exposure controls**

- **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.  
 Keep away from foodstuffs, beverages and feed.  
 Wash hands before breaks and at the end of work.  
 Do not inhale gases / fumes / aerosols.  
 Avoid contact with the eyes and skin.

- **Engineering controls:** No relevant information available.

- **Breathing equipment:**

Use suitable respiratory protective device when aerosol or mist is formed.  
 Wear appropriate NIOSH respirator when ventilation is inadequate and occupational exposure limits are exceeded.  
 For spills, respiratory protection may be advisable.

- **Protection of hands:**

(Cont'd. on page 5)

## Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: February 05, 2019

Revision: February 05, 2019

**Trade name: UX CLEAN-C**

(Cont'd. of page 4)



Protective gloves

Wear protective gloves to handle contents of damaged or leaking units.  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· **Eye protection:**



Safety glasses

- **Body protection:** Protective work clothing
- **Limitation and supervision of exposure into the environment** No special requirements.
- **Risk management measures** No relevant information available.

### 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **Appearance:**

**Form:** Liquid  
    **Color:** Clear to straw color.

· **Odor:** Odorless

· **Odor threshold:** Not determined.

· **pH-value:** 12

· **Melting point/Melting range:** Not determined.

· **Boiling point/Boiling range:** Not determined.

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not applicable.

· **Auto-ignition temperature:** Not determined.

· **Decomposition temperature:** Not determined.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits**

**Lower:** Not determined.

**Upper:** Not determined.

· **Oxidizing properties:** Non-oxidizing.

· **Vapor pressure:** Not determined.

· **Density:**

**Relative density:** Not determined.

**Vapor density:** Not determined.

(Cont'd. on page 6)

## Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: February 05, 2019

Revision: February 05, 2019

**Trade name: UX CLEAN-C**

(Cont'd. of page 5)

<b>Evaporation rate:</b>	Not determined.
· <b>Solubility in / Miscibility with Water:</b>	Fully miscible.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
· <b>Other information</b>	No relevant information available.

### 10 Stability and reactivity

- **Reactivity:** No relevant information available.
- **Chemical stability:**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions**  
Toxic fumes may be released if heated above the decomposition point.  
Reacts with strong acids and oxidizing agents.
- **Conditions to avoid** Excessive heat.
- **Incompatible materials**  
Oxidizers  
Strong acids
- **Hazardous decomposition products**  
Under fire conditions only:  
Carbon monoxide and carbon dioxide  
Nitrogen oxides (NOx)

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:** Harmful if swallowed or in contact with skin.

· **LD/LC50 values that are relevant for classification:**

**26628-22-8 sodium azide**

Oral LD50 27 mg/kg (rat)  
Dermal LD50 20 mg/kg (rabbit)

**9002-93-1 Poly(oxy-1,2-ethanediyl), α-[4-(1,1,3,3-tetramethylbutyl)phenyl]-ω-hydroxy-**

Oral LD50 1800 mg/kg (rat)

- **Primary irritant effect:**
- **On the skin:** Based on available data, the classification criteria are not met.

(Cont'd. on page 7)

## Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: February 05, 2019

Revision: February 05, 2019

**Trade name: UX CLEAN-C**

(Cont'd. of page 6)

- **On the eye:** Causes serious eye irritation.
- **Sensitization:** No sensitizing effects known.

· **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

· **NTP (National Toxicology Program):**

None of the ingredients are listed.

· **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

· **Probable route(s) of exposure:**

- Ingestion.
- Inhalation.
- Eye contact.
- Skin contact.

- **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.
- **Carcinogenicity:** Based on available data, the classification criteria are not met.
- **Reproductive toxicity:** Based on available data, the classification criteria are not met.
- **STOT-single exposure:** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure:** May cause damage to the brain through prolonged or repeated exposure.
- **Aspiration hazard:** Based on available data, the classification criteria are not met.

### 12 Ecological information

- **Toxicity**
- **Aquatic toxicity**  
Toxic to aquatic life with long lasting effects.

**26628-22-8 sodium azide**

LC50 10.5 mg/l (Oncorhynchus mykiss)  
5.46 mg/l (pimephales promelas)

EC50 0.35 mg/l (Pseudokirchneriella subcapitata)

**9002-93-1 Poly(oxy-1,2-ethanediyl), α-[4-(1,1,3,3-tetramethylbutyl)phenyl]-ω-hydroxy-**

EC50 26 mg/kg (daphnia)  
LC50 9.6 mg/l (pimephales promelas)

- **Persistence and degradability** No relevant information available.
- **Bioaccumulative potential:** No relevant information available.
- **Mobility in soil:** No relevant information available.
- **Additional ecological information**
- **General notes:** Do not allow product to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No relevant information available.

(Cont'd. on page 8)

## Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: February 05, 2019

Revision: February 05, 2019

**Trade name: UX CLEAN-C**

(Cont'd. of page 7)

### 13 Disposal considerations

- **Waste treatment methods**

- **Recommendation:**

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- **Uncleaned packagings**

- **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

- **UN-Number**

- **DOT, ADR/RID/ADN, IMDG, IATA** UN3082

- **UN proper shipping name**

- **DOT, IATA** Environmentally hazardous substances, liquid, n.o.s. (Polyethylene glycol octylphenol ether, Sodium azide)
- **ADR/RID/ADN, IMDG** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Polyethylene glycol octylphenol ether, Sodium azide)

- **Transport hazard class(es)**

- **DOT, IMDG, IATA**



- **Class** 9
- **Label** 9

- **ADR/RID/ADN**



- **Class** 9 (M5)
- **Label** 9

- **Packing group**

- **DOT, ADR/RID/ADN, IMDG, IATA** III

- **Environmental hazards**

- **Marine pollutant:** Yes (DOT)  
Symbol (fish and tree)

(Cont'd. on page 9)



## Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: February 05, 2019

Revision: February 05, 2019

**Trade name: UX CLEAN-C**

(Cont'd. of page 8)

<ul style="list-style-type: none"> <li>· <b>Special precautions for user</b></li> <li>· <b>Danger code (Kemler):</b></li> <li>· <b>EMS Number:</b></li> </ul>	<p>Warning: Miscellaneous dangerous substances and articles</p> <p>90</p> <p>F-A,S-F</p>
<ul style="list-style-type: none"> <li>· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b></li> </ul>	<p>Not applicable.</p>
<ul style="list-style-type: none"> <li>· <b>Transport/Additional information:</b></li> <li>· <b>DOT</b></li> <li>· <b>Remarks:</b></li> </ul>	<p>Not regulated when carried in single or combination packaging containing a net quantity of 5 L or less for liquids or 5 kg or less for solids per the following: ADR: SP 375 IMDG: 2.10.2.7 IATA: special provision A197</p> <p>Transport labeling is not required for non-bulk single package shipments by motor vehicle, rail car or aircraft. Bulk packaging consists of a maximum capacity of greater than 450L (119 gallons) for a liquid and a maximum net mass greater than 400kg (882 pounds) for a solid.</p>

### 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **United States (USA)**
- **SARA**

· **Section 302 (extremely hazardous substances):**

26628-22-8	sodium azide
------------	--------------

· **Section 355 (extremely hazardous substances):**

26628-22-8	sodium azide
------------	--------------

· **Section 313 (Specific toxic chemical listings):**

26628-22-8	sodium azide
------------	--------------

· **TSCA (Toxic Substances Control Act)**

All ingredients are listed.

· **Proposition 65 (California)**

· **Chemicals known to cause cancer:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity for females:**

(Cont'd. on page 10)

## Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: February 05, 2019

Revision: February 05, 2019

**Trade name: UX CLEAN-C**

(Cont'd. of page 9)

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity for males:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

· **EPA (Environmental Protection Agency):**

None of the ingredients are listed.

· **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

· **Canadian Domestic Substances List (DSL) (Substances not listed.):**

All ingredients are listed.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Abbreviations and acronyms:**

- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bio-accumulable, Toxic
- vPvB: very Persistent and very Bioaccumulative
- OSHA: Occupational Safety & Health Administration
- Acute Tox. 2: Acute toxicity – Category 2
- Acute Tox. 4: Acute toxicity – Category 4
- Skin Irrit. 2: Skin corrosion/irritation – Category 2
- Eye Dam. 1: Serious eye damage/eye irritation – Category 1
- Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
- STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

· **Sources**

- Website, European Chemicals Agency ([echa.europa.eu](http://echa.europa.eu))
- Website, US EPA Substance Registry Services ([ofmpub.epa.gov/sorinternet/registry/substreg/home/overview/home.do](http://ofmpub.epa.gov/sorinternet/registry/substreg/home/overview/home.do))
- Website, Chemical Abstracts Registry, American Chemical Society ([www.cas.org](http://www.cas.org))
- Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6
- Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaassen, Curtis D., ed., ISBN: 978-0-07-176923-5.
- Safety Data Sheets, Individual Manufacturers

SDS Prepared by:  
 ChemTel Inc.  
 1305 North Florida Avenue  
 Tampa, Florida USA 33602-2902

(Cont'd. on page 11).



## Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: February 05, 2019

Revision: February 05, 2019

**Trade name: UX CLEAN-C**

(Cont'd. of page 10)

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573  
Website: [www.chemtelinc.com](http://www.chemtelinc.com)