

## Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations



Printing date: February 05, 2019

Revision: February 05, 2019

### 1 Identification

- **Product identifier**
- **Trade name:** URINOCATCH STAIN
- **Other means of identification:** No other identifiers
- **Recommended use and restriction on use**
- **Recommended use:** Diagnostic testing
- **Restrictions on use:** No relevant information available.
- **Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**  
SYSMEX AMERICA, Inc  
577 Aptakistic Road  
Lincolnshire, IL 60069 USA  
Phone: 847-996-4500  
1-800-3SYSMEX (1-800-379-7639)
- **Emergency telephone number:**  
ChemTel Inc.  
(800)255-3924 (North America)  
+1 (813)248-0585 (International)

### 2 Hazard(s) identification

- **Classification of the substance or mixture**  
Acute Tox. 4 H302 Harmful if swallowed.  
Acute Tox. 4 H332 Harmful if inhaled.  
STOT RE 2 H373 May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.
- **Additional information:**  
There are no other hazards not otherwise classified that have been identified.  
0 % of the mixture consists of component(s) of unknown toxicity.
- **Label elements**
- **GHS label elements**  
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms:**  
  
GHS07 GHS08
- **Signal word:** Warning
- **Hazard statements:**  
H302+H332 Harmful if swallowed or if inhaled.  
H373 May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.
- **Precautionary statements:**

(Cont'd. on page 2)

Sysmex America, Inc.

[www.sysmex.com](http://www.sysmex.com)

577 Aptakistic Road, Lincolnshire, IL 60069

Phone 847-996-4500 · 1-800-3SYSMEX (1-800-379-7639)

URINOCATCH STAIN

Document No.: F-7052BG Rev. 02

Page 1 of 10

Effective Date: 16 Aug 2019

## Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: February 05, 2019

Revision: February 05, 2019

**Trade name: URINOCATCH STAIN**



(Cont'd. of page 1)

- P260 Do not breathe mist/vapors/spray.
- P264 Wash thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P271 Use only outdoors or in a well-ventilated area.
- P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.
- P330 Rinse mouth.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P314 Get medical advice/attention if you feel unwell.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

### 3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Components:**

107-21-1	Ethylene glycol		>90%
1239-45-8	ethidium bromide		<1%

· **Additional information:**

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.  
For the wording of the listed Hazard Statements, refer to section 16.

### 4 First-aid measures

· **Description of first aid measures**

· **After inhalation:**

Supply fresh air or oxygen; call for doctor.  
Provide oxygen treatment if affected person has difficulty breathing.  
In case of irregular breathing or respiratory arrest provide artificial respiration.  
Do not use mouth to mouth or mouth to nose resuscitation.  
In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.  
If skin irritation is experienced, consult a doctor.

· **After eye contact:**

Remove contact lenses if worn, if possible.  
Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing:**

Rinse out mouth and then drink plenty of water.  
Do not induce vomiting; immediately call for medical help.

· **Most important symptoms and effects, both acute and delayed:**

Headache

(Cont'd. on page 3)

**Sysmex America, Inc.**

[www.sysmex.com](http://www.sysmex.com)

577 Aptakisic Road, Lincolnshire, IL 60069

Classified as Internal Phone 847-996-4500 · 1-800-3SYSMEX (1-800-379-7639)

URINOCATCH STAIN

Document No.: F-7052BG Rev. 02

Page 2 of 10

Effective Date: 16 Aug 2019

## Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: February 05, 2019

Revision: February 05, 2019

**Trade name: URINOCATCH STAIN**

(Cont'd. of page 2)

Breathing difficulty

Coughing

Thirst

Acidosis

Nausea

Gastric or intestinal disorders

Unconsciousness

**· Danger:**

Danger of impaired breathing.

Danger of pulmonary edema.

Danger of cerebral edema.

Danger of pneumonia.

May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

Harmful if swallowed or if inhaled.

**· Indication of any immediate medical attention and special treatment needed:**

Medical supervision for at least 48 hours.

Later observation for pneumonia and pulmonary edema.

If necessary oxygen respiration treatment.

### 5 Fire-fighting measures

**· Extinguishing media****· Suitable extinguishing agents:**CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray.**· For safety reasons unsuitable extinguishing agents:** None.**· Special hazards arising from the substance or mixture**

Formation of toxic gases is possible during heating or in case of fire.

**· Advice for firefighters****· Protective equipment:**

Wear self-contained respiratory protective device.

Wear fully protective suit.

**· Additional information:**

Eliminate all ignition sources if safe to do so.

Cool endangered containers with water fog.

### 6 Accidental release measures

**· Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

Particular danger of slipping on leaked/spilled product.

**· Environmental precautions** Avoid release to the environment.**· Methods and material for containment and cleaning up**

(Cont'd. on page 4)

Sysmex America, Inc.

[www.sysmex.com](http://www.sysmex.com)

577 Aptakisic Road, Lincolnshire, IL 60069

Phone 847-996-4500 · 1-800-3SYSMEX (1-800-379-7639)

URINOCATCH STAIN

Document No.: F-7052BG Rev. 02

Page 3 of 10

Effective Date: 16 Aug 2019

## Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: February 05, 2019

Revision: February 05, 2019

**Trade name: URINOCATCH STAIN**

(Cont'd. of page 3)

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Send for recovery or disposal in suitable receptacles.

· **Reference to other sections**

See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### 7 Handling and storage

· **Handling**

· **Precautions for safe handling:**

Use only in well ventilated areas.  
Avoid splashes or spray in enclosed areas.  
Avoid breathing mist, vapors, or spray.  
Avoid contact with the eyes and skin.  
Open and handle receptacle with care.

· **Conditions for safe storage, including any incompatibilities**

· **Requirements to be met by storerooms and receptacles:**

Avoid storage near extreme heat, ignition sources or open flame.  
Store in cool, dry conditions in well sealed receptacles.

· **Information about storage in one common storage facility:** Store away from foodstuffs.

· **Specific end use(s)** No relevant information available.

### 8 Exposure controls/personal protection

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

**107-21-1 Ethylene glycol**

TLV (USA)	Short-term value: 10** mg/m <sup>3</sup> , 50* ppm Long-term value: 25* ppm *vapor fraction:**inh. fraction, aerosol only
WEEL (USA)	Long-term value: 10 mg/m <sup>3</sup>
EL (Canada)	Short-term value: 20** mg/m <sup>3</sup> Long-term value: 10** mg/m <sup>3</sup> Ceiling limit value: 100* mg/m <sup>3</sup> , 50*** ppm *Aerosol; **Particulate; ***Vapour
EV (Canada)	Ceiling limit value: 100 mg/m <sup>3</sup>
LMPE (Mexico)	Ceiling limit value: 100* mg/m <sup>3</sup> A4, *solo aerosol

· **Exposure controls**

· **General protective and hygienic measures:**

(Cont'd. on page 5)

**Sysmex America, Inc.**

[www.sysmex.com](http://www.sysmex.com)

577 Aptakisic Road, Lincolnshire, IL 60069

Phone 847-996-4500 · 1-800-3SYSMEX (1-800-379-7639)

URINOCATCH STAIN

Document No.: F-7052BG Rev. 02

Page 4 of 10

Effective Date: 16 Aug 2019

## Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: February 05, 2019

Revision: February 05, 2019

**Trade name: URINOCATCH STAIN**

(Cont'd. of page 4)

The usual precautionary measures for handling chemicals should be followed.

- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Store protective clothing separately.
- Do not inhale gases / fumes / aerosols.
- Avoid contact with the eyes and skin.

- **Engineering controls:** No relevant information available.
- **Breathing equipment:**  
Suitable respiratory protective device recommended.  
NIOSH or EN approved organic vapor respirator equipped with a dust/mist prefilter should be used.
- **Protection of hands:**



Protective gloves

Rubber gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**  
Nitrile rubber, NBR  
Neoprene gloves  
PVC gloves
- **Eye protection:**



Safety glasses

- **Body protection:** Protective work clothing
- **Limitation and supervision of exposure into the environment**  
Avoid release to the environment.
- **Risk management measures** No relevant information available.

### 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

- **Appearance:**
  - Form:** Liquid
  - Color:** Red
- **Odor:** Odorless
- **Odor threshold:** Not determined.
- **pH-value:** Not determined.
- **Melting point/Melting range:** Not determined.

(Cont'd. on page 6)

**Sysmex America, Inc.**

[www.sysmex.com](http://www.sysmex.com)

577 Aptakisic Road, Lincolnshire, IL 60069

Phone 847-996-4500 · 1-800-3SYSMEX (1-800-379-7639)

URINOCATCH STAIN

Document No.: F-7052BG Rev. 02

Page 5 of 10

Effective Date: 16 Aug 2019

## Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: February 05, 2019

Revision: February 05, 2019

**Trade name: URINOCATCH STAIN**

(Cont'd. of page 5)

<b>· Boiling point/Boiling range:</b>	197 °C (386.6 °F)
<b>· Flash point:</b>	111 °C (231.8 °F)
<b>· Flammability (solid, gaseous):</b>	Not applicable.
<b>· Auto-ignition temperature:</b>	Not determined.
<b>· Decomposition temperature:</b>	Not determined.
<b>· Danger of explosion:</b>	Product does not present an explosion hazard.
<b>· Explosion limits</b>	
<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
<b>· Oxidizing properties:</b>	Non-oxidizing.
<b>· Vapor pressure:</b>	Not determined.
<b>· Density:</b>	
<b>Relative density:</b>	1.11
<b>Vapor density:</b>	Not determined.
<b>Evaporation rate:</b>	Not determined.
<b>· Solubility in / Miscibility with Water:</b>	Fully miscible.
<b>· Partition coefficient (n-octanol/water):</b>	Not determined.
<b>· Viscosity</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
<b>· Other information</b>	No relevant information available.

### 10 Stability and reactivity

- **Reactivity:** No relevant information available.
- **Chemical stability:**
- **Thermal decomposition / conditions to be avoided:**  
Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
- **Possibility of hazardous reactions**  
Toxic fumes may be released if heated above the decomposition point.  
Reacts with strong alkali.  
Reacts with strong oxidizing agents.
- **Conditions to avoid** Excessive heat.
- **Incompatible materials** Oxidizers
- **Hazardous decomposition products**  
Under fire conditions only:  
Carbon monoxide and carbon dioxide

(Cont'd. on page 7)

**Sysmex America, Inc.**

[www.sysmex.com](http://www.sysmex.com)

577 Aptakisic Road, Lincolnshire, IL 60069

Phone 847-996-4500 · 1-800-3SYSMEX (1-800-379-7639)

URINOCATCH STAIN

Document No.: F-7052BG Rev. 02

Page 6 of 10

Effective Date: 16 Aug 2019

## Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: February 05, 2019

Revision: February 05, 2019

**Trade name: URINOCATCH STAIN**

Nitrogen oxides (NOx)  
Hydrogen bromide  
Carbonyl bromide

(Cont'd. of page 6)

### 11 Toxicological information

· **Information on toxicological effects**

· **Acute toxicity:** Harmful if swallowed or if inhaled.

· **LD/LC50 values that are relevant for classification:**

**107-21-1 Ethylene glycol**

Dermal	LD50	9530 mg/kg (rabbit)
--------	------	---------------------

· **Primary irritant effect:**

· **On the skin:** Slight irritant effect on skin and mucous membranes.

· **On the eye:** Slight irritant effect on eyes.

· **Sensitization:** No sensitizing effects known.

· **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

· **NTP (National Toxicology Program):**

None of the ingredients are listed.

· **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

· **Probable route(s) of exposure:**

Ingestion.

Inhalation.

Eye contact.

Skin contact.

· **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.

· **Carcinogenicity:** Based on available data, the classification criteria are not met.

· **Reproductive toxicity:** Based on available data, the classification criteria are not met.

· **STOT-single exposure:** Based on available data, the classification criteria are not met.

· **STOT-repeated exposure:**

May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

· **Aspiration hazard:** Based on available data, the classification criteria are not met.

### 12 Ecological information

· **Toxicity**

· **Aquatic toxicity** No relevant information available.

· **Persistence and degradability** No relevant information available.

· **Bioaccumulative potential:** No relevant information available.

· **Mobility in soil:** No relevant information available.

(Cont'd. on page 8)

**Sysmex America, Inc.**

[www.sysmex.com](http://www.sysmex.com)

577 Aptakisic Road, Lincolnshire, IL 60069

Phone 847-996-4500 · 1-800-3SYSMEX (1-800-379-7639)

URINOCATCH STAIN

Document No.: F-7052BG Rev. 02

Page 7 of 10

Effective Date: 16 Aug 2019

## Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: February 05, 2019

Revision: February 05, 2019

**Trade name: URINOCATCH STAIN**

(Cont'd. of page 7)

- **Additional ecological information**
- **General notes:** Avoid release to the environment.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.
- **Uncleaned packagings**
- **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

- |                                                                                                                                                |                 |
|------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|
| <ul style="list-style-type: none"> <li>· <b>UN-Number</b></li> <li>· DOT, ADR/RID/ADN, IMDG, IATA</li> </ul>                                   | Not regulated.  |
| <ul style="list-style-type: none"> <li>· <b>UN proper shipping name</b></li> <li>· DOT, ADR/RID/ADN, IMDG, IATA</li> </ul>                     | Not regulated.  |
| <ul style="list-style-type: none"> <li>· <b>Transport hazard class(es)</b></li> <li>· DOT, ADR/RID/ADN, IMDG, IATA</li> <li>· Class</li> </ul> | Not regulated.  |
| <ul style="list-style-type: none"> <li>· <b>Packing group</b></li> <li>· DOT, ADR/RID/ADN, IMDG, IATA</li> </ul>                               | Not regulated.  |
| <ul style="list-style-type: none"> <li>· <b>Environmental hazards</b></li> <li>· Marine pollutant:</li> </ul>                                  | No              |
| <ul style="list-style-type: none"> <li>· <b>Special precautions for user</b></li> </ul>                                                        | Not applicable. |
| <ul style="list-style-type: none"> <li>· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b></li> </ul>             | Not applicable. |

### 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture** (Cont'd. on page 9)

**Sysmex America, Inc.**

[www.sysmex.com](http://www.sysmex.com)

577 Aptakisic Road, Lincolnshire, IL 60069

Phone 847-996-4500 · 1-800-3SYSMEX (1-800-379-7639)

URINOCATCH STAIN

Document No.: F-7052BG Rev. 02

Page 8 of 10

Effective Date: 16 Aug 2019



## Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: February 05, 2019

Revision: February 05, 2019

**Trade name: URINOCATCH STAIN**

(Cont'd. of page 8)

- **United States (USA)**
- **SARA**

· **Section 302 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**

All ingredients are listed.

· **TSCA (Toxic Substances Control Act)**

Contact manufacturer for further information.

· **Proposition 65 (California)**

· **Chemicals known to cause cancer:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity for females:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity for males:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**

107-21-1 Ethylene glycol

· **EPA (Environmental Protection Agency):**

None of the ingredients are listed.

· **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

· **Canadian Domestic Substances List (DSL) (Substances not listed.):**

Contact manufacturer for further information.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Abbreviations and acronyms:**

- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bio-accumulable, Toxic

(Cont'd. on page 10)

**Sysmex America, Inc.**

[www.sysmex.com](http://www.sysmex.com)

577 Aptakisic Road, Lincolnshire, IL 60069

Phone 847-996-4500 · 1-800-3SYSMEX (1-800-379-7639)

URINOCATCH STAIN

Document No.: F-7052BG Rev. 02

Page 9 of 10

Effective Date: 16 Aug 2019

## Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: February 05, 2019

Revision: February 05, 2019

**Trade name: URINOCATCH STAIN**

(Cont'd. of page 9)

vPvB: very Persistent and very Bioaccumulative  
OSHA: Occupational Safety & Health Administration  
Acute Tox. 4: Acute toxicity – Category 4  
Acute Tox. 2: Acute toxicity – Category 2  
Muta. 2: Germ cell mutagenicity – Category 2  
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

**Sources**

Website, European Chemicals Agency (echa.europa.eu)  
Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)  
Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)  
Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6  
Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.  
Safety Data Sheets, Individual Manufacturers

SDS Prepared by:  
ChemTel Inc.  
1305 North Florida Avenue  
Tampa, Florida USA 33602-2902  
Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573  
Website: www.chemtelinc.com