

Material Safety Data Sheet

UF II Control (UTC-900A)

Health	Flammability	Reactivity	Contact	
1	0	0	1	

1 = Slight, 2 = Moderate, 3 = Severe, 4 = Extreme

24-HOUR EMERGENCY PHONE NUMBER

Contact CHEM-TEL at 1-800-255-3924

1. PRODUCT IDENTIFICATION

UF II CONTROL [™], UF II CONTROL –H (UTH-100), UF II CONTROL –L (UTL-100) is a Control for designated Sysmex Automated Urine Particle Analyzers.

2. HAZARDOUS INGREDIENTS

Percent C.A.S. Number DOT Status
No Information Available No Information Available Sea Transport is prohibited

3. PHYSICAL DATA

Cloudy aqueous solution. Slight odor is detectable. pH of 8.3-8.7 Specific Gravity at 20/4°C =1.03. Other physical properties of this solution have not been determined but can be expected to approximate water, which is its major component.

4. FIRE AND EXPLOSION DATA

No Information Available.

 Fire Fighting Procedures: Full protective clothing/NIOSH approved self-contained breathing apparatus with full-face piece.

5. REACTIVITY DATA

Avoid electro-static discharge. Avoid light.

6. TOXICOLOGICAL PROPERTIES

No Information Available

7. FIRST AID MEASURES

- Ingestion: Obtain immediate medical attention. If patient is alert, dilute, inactivate by giving; milk, activated charcoal, or water. Keep person warm and at rest. If vomiting occurs, turn patient on side and keep head lower than hips.
- o Inhalation: Move patient to fresh air. Obtain immediate medical attention.
- Skin contact: Remove contaminated clothing. Wash affected area with soap and water.
 Obtain medical attention
- Eye Contact: Immediately flush eyes with water; lifting lower and upper lids until all traces of irritation is removed. Obtain medical attention.

8. PREVENTIVE MEASURES AND DISPOSAL PROCEDURES

Spills should be neutralized and cleaned up promptly. Dike, contain and absorb the spill with neutral absorbent material as possible, and if large spill, evacuate personnel from the immediate area. Wear gloves, safety goggles and liquid impervious clothing to protect against splash. Utilize personal protective equipment. Place absorbed spill in a sealed suitable container (adequately

One Nelson C. White Parkway, Mundelein, IL 60060 Phone 847-996-4500 · 1-800-3SYSMEX (1-800-379-7639) www.sysmex.com

UF II CONTROL (UTC-900A)
Document No.: F-2806F Rev. 03
Page 1 of 2
Effective Date: 9/8/09



Effective Date: 9/8/09

labeled) for disposal. Dispose of waste in accordance with applicable local, state and federal regulations.

9. STORAGE AND SPECIAL INFORMATION

Store at 2-10° C away from direct sunlight and dust, to ensure performance. Do not freeze.

10. REGULATORY INFORMATION

International Inventory Status:

Ingredient	CAS#	EC	Japan	Australia	Korea	Canada: DSL Canada: NDS	
Water	7732-18-5	YES	YES	YES	YES	YES	NO

United States:

Ingredient	CAS#	OSHA	CAA	CWA	RCRA	SARA 302	SARA 313	TSCA
Water	7732-18-5	YES	NO	ОИ	NO	NO	NO	NO

WHMIS (Canada): This MSDS has been prepared according to the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by CPR.

Sysmex America, Inc. provides the information contained herein in good faith, but makes no representative claim or warranty as to its completeness or accuracy. This document is intended only as a guide for appropriate handling of the material described by properly trained persons using the product according to its intended purposes. Individuals receiving this information retain the responsibility for determining the suitability of the information for any specific purpose. Users should consider these data only as supplement to other information gathered by themselves and must make independent determinations of the suitability and completeness of information from all sources to ensure proper use and disposal of these materials and for the safety and health of employees and customers. No warranty, expressed or implied, is made with regard to such information.

Permission is granted to make unlimited paper copies of this MSDS for internal purposes only.

One Nelson C. White Parkway, Mundelein, IL 60060 Phone 847-996-4500 · 1-800-3SYSMEX (1-800-379-7639) www.sysmex.com

UF II CONTROL (UTC-900A) Document No.: F-2806F Rev. 03