

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations



Printing date: February 05, 2019

Revision: February 05, 2019

1 Identification

- **Product identifier**
- **Trade name:** UX II SEARCH SED
- **CAS Number:**
107-21-1
- **Recommended use and restriction on use**
- **Recommended use:** Diagnostic testing
- **Restrictions on use:** No relevant information available.
- **Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**
SYSMEX AMERICA, Inc
577 Aptakisic Road
Lincolnshire, IL 60069 USA
Phone: 847-996-4500
1-800-3SYSMEX (1-800-379-7639)
- **Emergency telephone number:**
ChemTel Inc.
(800)255-3924 (North America)
+1 (813)248-0585 (International)

2 Hazard(s) identification

- **Classification of the substance or mixture**
Acute Tox. 4 H302 Harmful if swallowed.
STOT RE 2 H373 May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.
- **Label elements**
- **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms:**

GHS07 GHS08
- **Signal word:** Warning
- **Hazard statements:**
H302 Harmful if swallowed.
H373 May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.
- **Precautionary statements:**
P260 Do not breathe mist/vapors/spray.
P264 Wash thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.

(Cont'd. on page 2)

Sysmex America, Inc.

www.sysmex.com

577 Aptakisic Road, Lincolnshire, IL 60069

Phone 847-996-4500 · 1-800-3SYSMEX (1-800-379-7639)

UX II SEARCH SED

Document No.: F-7052P Rev. 2.0

Page 1 of 9

Effective Date: 16 Aug 2019

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: February 05, 2019

Revision: February 05, 2019

Trade name: UX II SEARCH SED

(Cont'd. of page 1)

P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.

P330 Rinse mouth.

P314 Get medical advice/attention if you feel unwell.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Other hazards** There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

- **Chemical characterization: Substances**
- **CAS No. Description**
107-21-1 ethylene glycol

4 First-aid measures

- **Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**
Clean with water and soap.
If skin irritation continues, consult a doctor.
- **After eye contact:**
Remove contact lenses if worn.
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**
Rinse out mouth and then drink plenty of water.
Do not induce vomiting; immediately call for medical help.
- **Most important symptoms and effects, both acute and delayed:**
Acidosis
Nausea
Cramp
Thirst
- **Danger:**
Danger of hyperglycemia.
Danger of convulsion.
Danger of disturbed cardiac rhythm.
May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.
- **Indication of any immediate medical attention and special treatment needed:**
If swallowed, gastric irrigation with added, activated carbon.
Monitor circulation, possible shock treatment.
Medical supervision for at least 48 hours.

5 Fire-fighting measures

(Cont'd. on page 3)

Sysmex America, Inc.www.sysmex.com

577 Aptakisic Road, Lincolnshire, IL 60069

Phone 847-996-4500 · 1-800-3SYSMEX (1-800-379-7639)

UX II SEARCH SED

Document No.: F-7052P Rev. 2.0

Page 2 of 9

Effective Date: 16 Aug 2019

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: February 05, 2019

Revision: February 05, 2019

Trade name: UX II SEARCH SED

(Cont'd. of page 2)

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray.
- **For safety reasons unsuitable extinguishing agents:** None.
- **Special hazards arising from the substance or mixture**
Formation of toxic gases is possible during heating or in case of fire.
- **Advice for firefighters**
- **Protective equipment:**
Wear self-contained respiratory protective device.
Wear fully protective suit.
- **Additional information:** Cool endangered receptacles with water spray.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Ensure adequate ventilation.
Particular danger of slipping on leaked/spilled product.
Use personal protective equipment as required.
- **Environmental precautions**
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Methods and material for containment and cleaning up**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Send for recovery or disposal in suitable receptacles.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling**
- **Precautions for safe handling:**
Avoid breathing mist, vapors, or spray.
Avoid splashes or spray in enclosed areas.
Open and handle receptacle with care.
Use only in well ventilated areas.
- **Conditions for safe storage, including any incompatibilities**
- **Requirements to be met by storerooms and receptacles:**
Avoid storage near extreme heat, ignition sources or open flame.
Store in cool, dry conditions in well sealed receptacles.
- **Information about storage in one common storage facility:**
Store away from foodstuffs.

(Cont'd. on page 4)

Sysmex America, Inc.

www.sysmex.com

577 Aptakisic Road, Lincolnshire, IL 60069

Phone 847-996-4500 · 1-800-3SYSMEX (1-800-379-7639)

UX II SEARCH SED

Document No.: F-7052P Rev. 2.0

Page 3 of 9

Effective Date: 16 Aug 2019

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: February 05, 2019

Revision: February 05, 2019

Trade name: UX II SEARCH SED

(Cont'd. of page 3)

- Do not store together with oxidizing and acidic materials.
- **Further information about storage conditions:**
This product is hygroscopic.
Protect from humidity and water.
- **Specific end use(s)** No relevant information available.

8 Exposure controls/personal protection

- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

107-21-1 Ethylene glycol

TLV (USA)	Short-term value: 10** mg/m ³ , 50* ppm Long-term value: 25* ppm *vapor fraction:**inh. fraction, aerosol only
WEEL (USA)	Long-term value: 10 mg/m ³
EL (Canada)	Short-term value: 20** mg/m ³ Long-term value: 10** mg/m ³ Ceiling limit value: 100* mg/m ³ , 50*** ppm *Aerosol; **Particulate; ***Vapour
EV (Canada)	Ceiling limit value: 100 mg/m ³
LMPE (Mexico)	Ceiling limit value: 100* mg/m ³ A4, *aerosol only

- **Exposure controls**

- **General protective and hygienic measures:**

- Keep away from foodstuffs, beverages and feed.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes.
- Avoid close or long term contact with the skin.
- Do not inhale gases / fumes / aerosols.

- **Engineering controls:** No relevant information available.

- **Breathing equipment:**

- Not necessary if room is well-ventilated.
- Use suitable respiratory protective device when aerosol or mist is formed.

- **Protection of hands:**

- Gloves are advised for repeated or prolonged contact.
- Wear protective gloves to handle contents of damaged or leaking units.
- The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- **For the permanent contact gloves made of the following materials are suitable:**

- Butyl rubber, BR
- Nitrile rubber, NBR
- Rubber gloves

- **Eye protection:** Follow relevant national guidelines concerning the use of protective eyewear.

- **Body protection:** Not required.

(Cont'd. on page 5)

Sysmex America, Inc.

www.sysmex.com

577 Aptakisic Road, Lincolnshire, IL 60069

Phone 847-996-4500 · 1-800-3SYSMEX (1-800-379-7639)

UX II SEARCH SED

Document No.: F-7052P Rev. 2.0

Page 4 of 9

Effective Date: 16 Aug 2019

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: February 05, 2019

Revision: February 05, 2019

Trade name: UX II SEARCH SED

(Cont'd. of page 4)

- **Limitation and supervision of exposure into the environment** No special requirements.
- **Risk management measures** No relevant information available.

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **Appearance:**

Form: Liquid
 Color: Blue

· **Odor:** Odorless

· **Odor threshold:** Not determined.

· **pH-value:** Not determined.

· **Melting point/Melting range:** -12.4 °C (9.7 °F)

· **Boiling point/Boiling range:** 197 °C (386.6 °F)

· **Flash point:** 111 °C (231.8 °F)

· **Flammability (solid, gaseous):** Not applicable.

· **Auto-ignition temperature:** 410 °C (770 °F)

· **Decomposition temperature:** Not determined.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits**

Lower: 3.2 Vol %

Upper: 53 Vol %

· **Oxidizing properties:** Non-oxidizing.

· **Vapor pressure:** 0.08 hPa (0.1 mm Hg)

· **Density:**

Relative density: Not determined.

Vapor density: Not determined.

Evaporation rate: Not determined.

· **Solubility in / Miscibility with**

Water: Fully miscible.

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity**

Dynamic: Not determined.

Kinematic: Not determined.

· **Other information** No relevant information available.

(Cont'd. on page 6)

Sysmex America, Inc.

www.sysmex.com

577 Aptakisic Road, Lincolnshire, IL 60069

Phone 847-996-4500 · 1-800-3SYSMEX (1-800-379-7639)

UX II SEARCH SED

Document No.: F-7052P Rev. 2.0

Page 5 of 9

Effective Date: 16 Aug 2019

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: February 05, 2019

Revision: February 05, 2019

Trade name: UX II SEARCH SED

(Cont'd. of page 5)

10 Stability and reactivity

- **Reactivity:** No relevant information available.
- **Chemical stability:**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions**
Reacts with strong acids and oxidizing agents.
Reacts with peroxides and other radical forming substances.
- **Conditions to avoid**
Excessive heat.
Moisture.
- **Incompatible materials**
Oxidizing agents
Strong acids
- **Hazardous decomposition products**
Under fire conditions only:
Carbon monoxide and carbon dioxide

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:** Harmful if swallowed.
- **LD/LC50 values that are relevant for classification:** None.
- **Primary irritant effect:**
- **On the skin:** Based on available data, the classification criteria are not met.
- **On the eye:** Based on available data, the classification criteria are not met.
- **Sensitization:** No sensitizing effects known.

· **IARC (International Agency for Research on Cancer):**

Substance is not listed.

· **NTP (National Toxicology Program):**

Substance is not listed.

· **OSHA-Ca (Occupational Safety & Health Administration):**

Substance is not listed.

· **Probable route(s) of exposure:**

Ingestion.
Inhalation.
Eye contact.
Skin contact.

- **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.
- **Carcinogenicity:** Based on available data, the classification criteria are not met.
- **Reproductive toxicity:** Based on available data, the classification criteria are not met.

(Cont'd. on page 7)

Sysmex America, Inc.

www.sysmex.com

577 Aptakisic Road, Lincolnshire, IL 60069

Phone 847-996-4500 · 1-800-3SYSMEX (1-800-379-7639)

UX II SEARCH SED

Document No.: F-7052P Rev. 2.0

Page 6 of 9

Effective Date: 16 Aug 2019

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: February 05, 2019

Revision: February 05, 2019

Trade name: UX II SEARCH SED

(Cont'd. of page 6)

- **STOT-single exposure:** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure:**
May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.
- **Aspiration hazard:** Based on available data, the classification criteria are not met.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity** No relevant information available.
- **Persistence and degradability** Biodegradable.
- **Bioaccumulative potential:** Does not accumulate in organisms
- **Mobility in soil:** No relevant information available.
- **Additional ecological information**
- **General notes:**
Due to available data on eliminability/decomposition and bioaccumulation potential, a prolonged damage of the environment is unlikely.
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.
- **Uncleaned packagings**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- | | |
|--|----------------|
| <ul style="list-style-type: none"> · UN-Number · DOT, ADR/RID/ADN, IMDG, IATA | Not regulated. |
| <ul style="list-style-type: none"> · UN proper shipping name · DOT, ADR/RID/ADN, IMDG, IATA | Not regulated. |
| <ul style="list-style-type: none"> · Transport hazard class(es) | |

(Cont'd. on page 8)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: February 05, 2019

Revision: February 05, 2019

Trade name: UX II SEARCH SED

(Cont'd. of page 7)

<ul style="list-style-type: none"> · DOT, ADR/RID/ADN, IMDG, IATA · Class 	Not regulated.
<ul style="list-style-type: none"> · Packing group · DOT, ADR/RID/ADN, IMDG, IATA 	Not regulated.
<ul style="list-style-type: none"> · Environmental hazards · Marine pollutant: 	No
<ul style="list-style-type: none"> · Special precautions for user · Danger code (Kemler): 	Not applicable. -
<ul style="list-style-type: none"> · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code 	Not applicable.

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **United States (USA)**
- **SARA**

· **Section 302 (extremely hazardous substances):**

Substance is not listed.

· **Section 355 (extremely hazardous substances):**

Substance is not listed.

· **Section 313 (Specific toxic chemical listings):**

Substance is listed.

· **TSCA (Toxic Substances Control Act)**

Substance is listed.

· **Proposition 65 (California)**

· **Chemicals known to cause cancer:**

Substance is not listed.

· **Chemicals known to cause developmental toxicity for females:**

Substance is not listed.

· **Chemicals known to cause developmental toxicity for males:**

Substance is not listed.

· **Chemicals known to cause developmental toxicity:**

107-21-1 | Ethylene glycol

· **EPA (Environmental Protection Agency):**

(Cont'd. on page 9)

Sysmex America, Inc.

www.sysmex.com

577 Aptakisic Road, Lincolnshire, IL 60069

Phone 847-996-4500 · 1-800-3SYSMEX (1-800-379-7639)

UX II SEARCH SED

Document No.: F-7052P Rev. 2.0

Page 8 of 9

Effective Date: 16 Aug 2019

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: February 05, 2019

Revision: February 05, 2019

Trade name: UX II SEARCH SED

(Cont'd. of page 8)

Substance is not listed.

· IARC (International Agency for Research on Cancer):

Substance is not listed.

· Canadian Domestic Substances List (DSL) (Substances not listed.):

Substance is listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bio-accumulable, Toxic

vPvB: very Persistent and very Bioaccumulative

OSHA: Occupational Safety & Health Administration

Acute Tox. 4: Acute toxicity – Category 4

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

· Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaassen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com