

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: February 05, 2019

Revision: February 05, 2019

1 Identification

- **Product identifier**
- **Trade name:** UX II SHEATH
- **Other means of identification:** No other identifiers
- **Recommended use and restriction on use**
- **Recommended use:** Diagnostic testing
- **Restrictions on use:** No relevant information available.
- **Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**
 SYSMEX AMERICA, Inc
 577 Aptakisic Road
 Lincolnshire, IL 60069 USA
 Phone: 847-996-4500
 1-800-3SYSMEX (1-800-379-7639)
- **Emergency telephone number:**
 ChemTel Inc.
 (800)255-3924 (North America)
 +1 (813)248-0585 (International)



2 Hazard(s) identification

- **Classification of the substance or mixture**
 The product is not classified as hazardous according to the Globally Harmonized System (GHS).
- **Label elements**
- **GHS label elements:** Not regulated.
- **Hazard pictograms:** Not regulated.
- **Signal word:** Not regulated.
- **Hazard statements:** Not regulated.
- **Precautionary statements:** Not regulated.
- **Other hazards:** There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

- **Chemical characterization:** Mixtures

- **Components:**

56-81-5	Glycerol	<5%
7647-01-0	hydrochloric acid	<1%
	 Met. Corr. 1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318  Acute Tox. 4, H302; STOT SE 3, H335	

- **Additional information:**

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.

(Cont'd. on page 2)

Sysmex America, Inc.

www.sysmex.com

577 Aptakisic Road, Lincolnshire, IL 60069

Phone 847-996-4500 · 1-800-3SYSMEX (1-800-379-7639)

UX II SHEATH

Document No.: F-7052BK Rev. 02

Page 1 of 9

Effective Date: 16 Aug 2019

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: February 05, 2019

Revision: February 05, 2019

Trade name: UX II SHEATH

(Cont'd. of page 1)

4 First-aid measures

- **Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**
Clean with water and soap.
If skin irritation is experienced, consult a doctor.
- **After eye contact:**
Remove contact lenses if worn.
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**
Rinse out mouth and then drink plenty of water.
Do not induce vomiting; immediately call for medical help.
- **Most important symptoms and effects, both acute and delayed:**
Slight irritant effect on eyes.
Slight irritant effect on skin and mucous membranes.
Gastric or intestinal disorders when ingested.
Nausea in case of ingestion.
- **Indication of any immediate medical attention and special treatment needed:**
No relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
The product is not flammable.
Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents:** None.
- **Special hazards arising from the substance or mixture**
Formation of toxic gases is possible during heating or in case of fire.
- **Advice for firefighters**
- **Protective equipment:**
Wear self-contained respiratory protective device.
Wear fully protective suit.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Ensure adequate ventilation.
For large spills, wear protective clothing.
For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.
- **Environmental precautions**
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Cont'd. on page 3)

Sysmex America, Inc.

www.sysmex.com

577 Aptakisic Road, Lincolnshire, IL 60069

Phone 847-996-4500 · 1-800-3SYSMEX (1-800-379-7639)

UX II SHEATH

Document No.: F-7052BK Rev. 02

Page 2 of 9

Effective Date: 16 Aug 2019

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: February 05, 2019

Revision: February 05, 2019

Trade name: UX II SHEATH

(Cont'd. of page 2)

- **Methods and material for containment and cleaning up**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Send for recovery or disposal in suitable receptacles.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling**
- **Precautions for safe handling:**
Avoid splashes or spray in enclosed areas.
Use only in well ventilated areas.
Avoid contact with the eyes and skin.
Avoid breathing mist, vapors, or spray.
- **Conditions for safe storage, including any incompatibilities**
- **Requirements to be met by storerooms and receptacles:**
Use only receptacles specifically permitted for this substance/product.
Unsuitable material for receptacle: aluminium.
- **Information about storage in one common storage facility:**
Store away from foodstuffs.
Store away from metals.
- **Specific end use(s)** No relevant information available.

8 Exposure controls/personal protection

- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**

56-81-5 Glycerol

PEL (USA)	Long-term value: 15* 5** mg/m ³ mist; *total dust **respirable fraction
EL (Canada)	Long-term value: 10* 3** mg/m ³ *mist; **mist, respirable
EV (Canada)	Long-term value: 10 mg/m ³
LMPE (Mexico)	Long-term value: 10 mg/m ³

7647-01-0 hydrochloric acid

PEL (USA)	Ceiling limit value: 7 mg/m ³ , 5 ppm
REL (USA)	Ceiling limit value: 7 mg/m ³ , 5 ppm
TLV (USA)	Ceiling limit value: 2.98 mg/m ³ , 2 ppm
EL (Canada)	Ceiling limit value: 2 ppm

(Cont'd. on page 4)

Sysmex America, Inc.

www.sysmex.com

577 Aptakisic Road, Lincolnshire, IL 60069
Phone 847-996-4500 · 1-800-3SYSMEX (1-800-379-7639)
UX II SHEATH

Classified as Internal

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations


Printing date: February 05, 2019

Revision: February 05, 2019

Trade name: UX II SHEATH

(Cont'd. of page 3)

EV (Canada)	Ceiling limit value: 2 ppm
LMPE (Mexico)	Ceiling limit value: 2 ppm A4

- **Exposure controls**
- **General protective and hygienic measures:**
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Wash hands before breaks and at the end of work.
Do not inhale gases / fumes / aerosols.
Avoid contact with the eyes and skin.
- **Engineering controls:** No relevant information available.
- **Breathing equipment:**
Not required under normal conditions of use.
Use suitable respiratory protective device when aerosol or mist is formed.
For spills, respiratory protection may be advisable.
- **Protection of hands:**
Wear protective gloves to handle contents of damaged or leaking units.
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
- **Eye protection:**
 Safety glasses
- **Body protection:** Protective work clothing
- **Limitation and supervision of exposure into the environment**
No relevant information available.
- **Risk management measures** No relevant information available.

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

- **Appearance:**
 - **Form:** Liquid
 - **Color:** Clear to straw color.
- **Odor:** Odorless
- **Odor threshold:** Not determined.

- **pH-value:** 8.0
- **Melting point/Melting range:** Not determined.
- **Boiling point/Boiling range:** Not determined.

- **Flash point:** Not applicable.

- **Flammability (solid, gaseous):** Not applicable.

(Cont'd. on page 5)

Sysmex America, Inc.

www.sysmex.com

577 Aptakisic Road, Lincolnshire, IL 60069

Phone 847-996-4500 · 1-800-3SYSMEX (1-800-379-7639)

UX II SHEATH

Document No.: F-7052BK Rev. 02

Page 4 of 9

Effective Date: 16 Aug 2019

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: February 05, 2019

Revision: February 05, 2019

Trade name: UX II SHEATH

(Cont'd. of page 4)

· Auto-ignition temperature:	Not determined.
· Decomposition temperature:	Not determined.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits Lower: Upper:	Not determined. Not determined.
· Oxidizing properties:	Non-oxidizing.
· Vapor pressure:	Not determined.
· Density: Relative density at 20 °C (68 °F): Vapor density: Evaporation rate:	1.036 Not determined. Not determined.
· Solubility in / Miscibility with Water:	Fully miscible.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity Dynamic: Kinematic:	Not determined. Not determined.
· Other information	No relevant information available.

10 Stability and reactivity

- **Reactivity:** No relevant information available.
- **Chemical stability:**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions**
Toxic fumes may be released if heated above the decomposition point.
Corrodes aluminium.
Reacts with metals forming hydrogen.
- **Conditions to avoid** Excessive heat.
- **Incompatible materials**
Caution! Do not use in conjunction with other products. Dangerous gases (chlorine) may be given off.
- **Hazardous decomposition products**
Under fire conditions only:
Carbon monoxide and carbon dioxide
Chlorine compounds

(Cont'd. on page 6)

Sysmex America, Inc.

www.sysmex.com

577 Aptakisic Road, Lincolnshire, IL 60069

Phone 847-996-4500 · 1-800-3SYSMEX (1-800-379-7639)

UX II SHEATH

Document No.: F-7052BK Rev. 02

Page 5 of 9

Effective Date: 16 Aug 2019

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: February 05, 2019

Revision: February 05, 2019

Trade name: UX II SHEATH

(Cont'd. of page 5)

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:** Based on available data, the classification criteria are not met.
- **LD/LC50 values that are relevant for classification:** None.
- **Primary irritant effect:**
- **On the skin:** Based on available data, the classification criteria are not met.
- **On the eye:** Based on available data, the classification criteria are not met.
- **Sensitization:** No sensitizing effects known.

- **IARC (International Agency for Research on Cancer):**

7647-01-0	hydrochloric acid	3
-----------	-------------------	---

- **NTP (National Toxicology Program):**

None of the ingredients are listed.

- **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

- **Probable route(s) of exposure:**

Ingestion.
Inhalation.
Eye contact.
Skin contact.

- **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.
- **Carcinogenicity:** Based on available data, the classification criteria are not met.
- **Reproductive toxicity:** Based on available data, the classification criteria are not met.
- **STOT-single exposure:** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure:** Based on available data, the classification criteria are not met.
- **Aspiration hazard:** Based on available data, the classification criteria are not met.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity** No relevant information available.
- **Persistence and degradability** No relevant information available.
- **Bioaccumulative potential:** No relevant information available.
- **Mobility in soil:** No relevant information available.
- **Additional ecological information**
- **General notes:**
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No relevant information available.

(Cont'd. on page 7)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: February 05, 2019

Revision: February 05, 2019

Trade name: UX II SHEATH

(Cont'd. of page 6)

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.
The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.
- **Uncleaned packagings**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- | | |
|---|-----------------|
| <ul style="list-style-type: none"> · UN-Number · DOT, ADR/RID/ADN, IMDG, IATA | Not regulated. |
| <ul style="list-style-type: none"> · UN proper shipping name · DOT, ADR/RID/ADN, IMDG, IATA | Not regulated. |
| <ul style="list-style-type: none"> · Transport hazard class(es) · DOT, ADR/RID/ADN, IMDG, IATA · Class | Not regulated. |
| <ul style="list-style-type: none"> · Packing group · DOT, ADR/RID/ADN, IMDG, IATA | Not regulated. |
| <ul style="list-style-type: none"> · Environmental hazards · Marine pollutant: | No |
| <ul style="list-style-type: none"> · Special precautions for user | Not applicable. |
| <ul style="list-style-type: none"> · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **United States (USA)**
- **SARA**

· **Section 302 (extremely hazardous substances):**

None of the ingredients are listed.

(Cont'd. on page 8)

Sysmex America, Inc.

www.sysmex.com

577 Aptakisic Road, Lincolnshire, IL 60069

Phone 847-996-4500 · 1-800-3SYSMEX (1-800-379-7639)

UX II SHEATH

Document No.: F-7052BK Rev. 02

Page 7 of 9

Effective Date: 16 Aug 2019

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: February 05, 2019

Revision: February 05, 2019

Trade name: UX II SHEATH

(Cont'd. of page 7)

· **Section 355 (extremely hazardous substances):**

7647-01-0 | hydrochloric acid

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients are listed.

· **TSCA (Toxic Substances Control Act)**

All ingredients are listed.

· **Proposition 65 (California)**

· **Chemicals known to cause cancer:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity for females:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity for males:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

· **EPA (Environmental Protection Agency):**

None of the ingredients are listed.

· **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

· **Canadian Domestic Substances List (DSL) (Substances not listed.):**

All ingredients are listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Abbreviations and acronyms:**

- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bio-accumulable, Toxic
- vPvB: very Persistent and very Bioaccumulative
- OSHA: Occupational Safety & Health Administration
- Met. Corr. 1: Corrosive to metals – Category 1
- Acute Tox. 4: Acute toxicity – Category 4
- Skin Corr. 1B: Skin corrosion/irritation – Category 1B
- Eye Dam. 1: Serious eye damage/eye irritation – Category 1
- STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· **Sources**

(Cont'd. on page 9)

Sysmex America, Inc.

www.sysmex.com

577 Aptakisic Road, Lincolnshire, IL 60069

Phone 847-996-4500 · 1-800-3SYSMEX (1-800-379-7639)

UX II SHEATH

Document No.: F-7052BK Rev. 02

Page 8 of 9

Effective Date: 16 Aug 2019

**Safety Data Sheet**

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: February 05, 2019

Revision: February 05, 2019

Trade name: UX II SHEATH

(Cont'd. of page 8)

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com

Systemex America, Inc.www.sysmex.com

577 Aptakisic Road, Lincolnshire, IL 60069

Classified as Internal Phone 847-996-4500 · 1-800-3SYSMEX (1-800-379-7639)

UX II SHEATH

Document No.: F-7052BK Rev. 02

Page 9 of 9

Effective Date: 16 Aug 2019